Free Questions for UiPath-RPAv1

Shared by Rose on 04-10-2024

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Q	uestion	Typ	e:	Mu	ltip	le(Choice
---	---------	-----	----	----	------	-----	--------

What type of Output variable do all Get Mail activities return?(POP3,IMAP,Outlook,Exchange)

Options are:

Options:

A- List

B- List

C- MailMessage

Answer:

Α

Question 2

Question Type: MultipleChoice

How can you retrieve the value stored in a Queue Item variable?
Options are :
Options:
A- Use the Deserialize Xml activity
B- Use the SpecificContent property
C- Use the Deserialize Json activity
Answer:
В
Question 3
Question Type: MultipleChoice
What happens if you try to end the execution of a job by clicking the Kill/Terminate button in UiPath Orchestrator?
Options are :

Options:	
4- The execution process is	killed
3- The execution is not impa	acted if no Should Stop activity has been included in the workflow in Studio
C- The job state is changed	to Canceled/Stopped, even if no Should Stop activity was used
Answer:	
3, C	
uestion 4	
estion Type: MultipleChoice	
What is the difference betwe unchecked?	en a Click activity whose SimulateClick property is checked and another one with the same property
Options are :	
Options:	
•	

- A- There is no difference-both can be used in same scenarios
- B- The activity with an enabled SimulateClick flag does not click the target element, it just simulates the action
- C- The activity with the SimulateClick flag unchecked moves the mouse cursor over the target element, while the one with the flag set does not move the mouse cursor

Answer:

Α

Question 5

Question Type: MultipleChoice

One of the actions below is not required when starting processes with UiPath Orchestrator

Options are:

Options:

- A- Creating a process with the published package and environment
- **B-** Registering robots to Orchestrator

C- Creating an environment containing the robot
D- Publishing projects from UiPath Studio
E- Creating a queue in Orchestrator
F- Starting a job, which is the execution of the process
Answer:
E
Question 6
Question Type: MultipleChoice
Where can you trigger an unattended robot from? Select all the options that apply
Options are:
Options:
Options: A- The UiPath Robot icon in the system tray

- B- Remotely, from Orchestrator
- C- UiPath Studio

Answer:

A, B

Question 7

Question Type: MultipleChoice

Why is renaming activities considered to be one of the best practices?

Options are:

Options:

- A- To easily understand the high-level business logic from a workflow
- B- In case of an exception, to be able to find its source activity
- C- To be able to understand the process logic without expanding each sequence or invoked workflow

A	
Answer: A, C	
Question 8	
Question Type: MultipleChoice	
Add Assets in Orchestrator has the following option:	
Options are :	
Options:	
A- Value Per Process	
B- Single Value	
C- Value Per Robot	
D- Value Per Environment	
Answer:	
B, C	

To Get Premium Files for UiPath-RPAv1 Visit

https://www.p2pexams.com/products/uipath-rpav1

For More Free Questions Visit

https://www.p2pexams.com/uipath/pdf/uipath-rpav1

