# Question 1

**Question Type: MultipleChoice**

Which two parts replacement methods are supported in the VSP Gx00 series? (Choose two.) Choose 2 answers

## Options:

**A-** local

**B-** direct

**C-** remote

**D-** indirect

## Answer:

B, D

# Question 2

**Question Type: MultipleChoice**

You have just completed a firmware upgrade on a VSP G600.

Under which Hitachi Device Manager - Storage Navigator tab can you confirm the version number of the newly upgraded firmware?

**Options:**

**A-** View

**B-** Actions

**C-** Reports

**D-** Maintenance Utility

**Answer:**

D

# Question 3

**Question Type: MultipleChoice**

What should you do first when upgrading the SVP software of a VSP Gx00 system?

## Options:

**A-** Run the 'setup.exe' program as an administrator user.

**B-** Log into GUM and select 'SVP upgrade'.

**C-** Log into Storage Navigator and select 'SVP upgrade'.

**D-** Log into the SVP, stop the SVP services and reboot the SVP.

## Answer:

A

# Question 4

**Question Type:** **MultipleChoice**

A customer wants to change a production RAID group from RAID 5 (7D+1P) to RAID 6 (6D+2P) on a VSP G600 during normal operations. They have just unmapped the LUNs from the channel ports.

What needs to be performed next?

## Options:

**A-** Parity groups must be deleted.

**B-** The RAID level must be changed in Storage Navigator.

**C-** The RAID level in the SVP Maintenance window must be changed.

**D-** The RAID 5 group must be put into DRU mode in Storage Navigator.

## Answer:

A

# Question 5

**Question Type:** **MultipleChoice**

What are two requirements when virtualizing storage behind a VSP Gx00 system? (Choose two.) Choose 2 answers

## Options:

**A-** An external volume group must be defined.

**B-** The VSP Gx00 port must be set to 'Initiator' mode.

**C-** The external storage ports must be set to 'External' mode.

**D-** LUNs must be mapped to the external storage ports.

## Answer:

C, D

# Question 6

**Question Type:** **MultipleChoice**

You need to attach a storage array as external storage on a VSP G600.

What are two requirements? (Choose two.) Choose 2 answers

## Options:

**A-** port security enabled

**B-** UVM license enabled

**C-** Host Group mode set

**D-** External storage

**Answer:**

B, D

# Question 7

**Question Type:** **MultipleChoice**

Which two applications get installed with Hitachi Command Suite? (Choose two.) Choose 2 answers

**Options:**

**A-** Storage Navigator

**B-** Hitachi Device Manager

**C-** Hitachi Replication Manager

**D-** Hitachi Infrastructure Director

**Answer:**

B

# Question 8

**Question Type: MultipleChoice**

Which function is available in Hitachi Infrastructure Director (HID)?

## Options:

**A-** Global Active Device setup

**B-** configuration of HDLM load balancing

**C-** basic provisioning of a VSP Gx00 system

**D-** automated provisioning for multiple VSP Gx00 systems

## Answer:

C

# Question 9

**Question Type: MultipleChoice**

Which two actions can be performed with the Block Element Manager (BEM) on the VSP Gx00 series? (Choose two.) Choose 2 answers

## Options:

**A-** Generate a configuration report.

**B-** Configure the SVP.

**C-** Generate license keys.

**D-** Set front-end port parameters.

## Answer:

A, D

# Question 10

**Question Type: MultipleChoice**

What are two available methods to perform storage provisioning and configuration using RAID Manager/CCI? (Choose two.)

Choose 2 answers

## Options:

**A-** in-band using FC

**B-** CU using the SVP

**C-** Storage Navigator CLI

**D-** out-of-band using TCP/IP

## Answer:

B, C

# Question 11

**Question Type:** MultipleChoice

What is a prerequisite for using RAID Manager/CCI CLI?

## Options:

**A-** a license key

**B-** a system disk

**C-** a Journal volume

**D-** a Command Device

## Answer:

A, D

# Question 12

**Question Type: MultipleChoice**

Your customer wants to direct attach an AIX server to a Fibre Channel port on a VSP G400. What should be set?

## Options:

**A-** host name

**B-** pott defined as External

**C-** Host Mode Option (HMO)

**D-** System Option Mode (SOM)

**Answer:**

D