



Free Questions for PEGAPCRSA80V1_2019 by vceexamstest

Shared by Sexton on 06-06-2022

For More Free Questions and Preparation Resources

Check the Links on Last Page

Question 1

Question Type: MultipleChoice

You are evaluating business requirements and reviewing each adapter in a project.

Prior to interrogating the application, what three actions do you perform during application discovery? (Choose three.)

Options:

- A- Identify the technology on which the application is built (web, Windows, text).
- B- Verify the match rules on all interrogated controls.
- C- Verify the interactions between all applications in the solution.
- D- Verify the number of application instances accessed by the user at the same time.
- E- Verify how the application launches outside of Pega Robot Studio.

Answer:

B, C, D

Question 2

Question Type: MultipleChoice

Which two of the following Tool Windows are used in Pega Robot Studio? (Choose two.)

Options:

- A- Designer windows
- B- Solution Explorer
- C- Object Explorer
- D- Menu toolbar

Answer:

A, D

Question 3

Question Type: MultipleChoice

During application discovery, what three things must the developer notice about the application to help design the automation? (Choose three.)

Options:

A- How users interact with the applications

B- How the adapter process data

C- How the application responds during use

D- How the application processes data

E- How the automation responds to the process

Application discovery is an early technical validation step that involves collecting the information about applications in scope of a potential robotics use case. During discovery you need to find out application types (and if they are on applications support matrix for Pega Robotics), how they are launched, how they are used, and check accessibility and functionality of the controls through interrogation. Application discovery is necessary to ensure that robotics use case is viable and it doesn't have any technical constraints... or, if constraints exist, then what kind of workarounds will be necessary to ensure the use case is successful. The rationale for having application discovery as a best practice is that you don't want to find out half-way through coding an automation that a key control is not available or not performing the desired action.

Answer:

A, C, D

Question 4

Question Type: MultipleChoice

Which project property setting do you set to true to automatically increase the deployment version?

Options:

- A- Increase Deployment Version
- B- Increment Deployment Version
- C- Update Run Settings
- D- Increase Assemblies

Answer:

B

Question 5

Question Type: MultipleChoice

In a Java application, you click a button to load a grid. The grid loads as a separate process under the Java application.

Which property allows you to interrogate the grid?

Options:

- A- IgnoreMainBrowser
- B- TargetPath
- C- EnableMatchInProcess
- D- HookChildProcesses

Answer:

D

Question 6

Question Type: MultipleChoice

You are assigned to develop a set of activities using a popular HR application. The application loads after you start interrogation from Pega Robot Studio, but you notice that you are unable to use the Robot Studio Interrogator to drag and drop over the desired controls.

Why are you unable to interrogate the desired application controls?

Options:

- A-** The StartMethod on the adapter is set to StartAndWait, but the TargetPath property is undefined.
- B-** The StartMethod on the adapter is set to MonitorAll, but the path property is undefined.
- C-** The StartMethod on the adapter is set to Start, but the TargetPath property is undefined.
- D-** The adapter's StartOnProject property is set to false.

Answer:

D

Question 7

Question Type: MultipleChoice

To modify an object's default properties before use in a project, which setting must be updated?

Options:

A- Naming Rules

B- Prefix Types

C- Type Prefixes

D- Type Name

Answer:

A

Question 8

Question Type: MultipleChoice

An automation requires the web adapter to attach to a running instance of Internet Explorer.

How do you achieve this requirement?

Options:

A- Configure the Universal Web adapter and set the StartMethod property to MonitorAll.

- B- Configure the web adapter and set the StartMethod property to MonitorAll.
- C- Configure the web adapter and set the StartMehod property to Attach.
- D- The web adapter cannot connect to a running instance.

Answer:

B

Question 9

Question Type: MultipleChoice

A developer adds a diagnostic log component to an automation and checks the log file.

Info		02:28:36.568	PM		25		MTA		Playback				CRM
Info		02:28:36.569	PM		25		MTA		Automation		CRM_E_CRMChild_Created		CRM
Info		02:28:36.571	PM		25		MTA		Automation				CRM
Warning		02:28:36.572	PM		25		MTA		Automation				CRM
Info		02:28:36.573	PM		25		MTA		Playback				CRM
Info		02:28:36.574	PM		25		MTA		Automation		CRM_E_CRMChild_Created		CRM
Warning		02:28:36.576	PM		25		MTA		ExecutionTracker				CRM

Based on the image, how did the developer configure the diagnostic log component settings?

A

<input type="checkbox"/> Design	
(Name)	diagnosticsLog1
FullName on ACME_P_Sign	ACME_P_SignIn.diagnosticsLog1
Uniqueld on ACME_P_Signl	Automator-8D51549BCC7F4EE\Di
<input type="checkbox"/> Diagnostics	
Category	Automation
Mode	On
Type	Info

B

<input type="checkbox"/> Design	
(Name)	diagnosticsLog1
FullName on CRM_E_CRMC	CRM_E_CRMChild_Created.diagn
UniqueID on CRM_E_CRMC	Automator-8D5156BC78BC6B9\D
<input type="checkbox"/> Diagnostics	
Category	Automation
Mode	On
Type	Warning

c

Design	
(Name)	diagnosticsLog1
FullName on ACME_P_Sign	ACME_P_SignIn.diagnosticsLog1
Uniqueld on ACME_P_Signl	Automator-8D51549BCC7F4EE\Di
Diagnostics	
Category	*****Starting Interaction*****
Mode	On
Type	Warning

D

[-] Design	
(Name)	diagnosticsLog1
FullName on CRM_E_CRMC	CRM_E_CRMChild_Created.diagn
UniqueID on CRM_E_CRMC	Automator-8D5156BC78BC6B9\D
[-] Diagnostics	
Category	Automation
Mode	Off
Type	Warning

Options:

- A- Exhibit A
- B- Exhibit B
- C- Exhibit C
- D- Exhibit D

Answer:

B

Question 10

Question Type: MultipleChoice

The Automation Playback window allows you to _____.

Options:

- A- open a log file and step through it as if you were running your solution in debug mode
- B- replay your last Runtime session where the applications are provided with the same account numbers automatically
- C- open a log file and debug any exceptions
- D- rerun the last automation that ran with the same values as inputs automatically entered

Answer:

B

Question 11

Question Type: MultipleChoice

Runtime produces an error when debugging a solution. The error message references that a control does not have the necessary value to complete an activity. The control depends upon the completion of a second activity in another project to provide its value.

Which two debugging options provide a benefit when referencing threads for issue resolution? (Choose two.)

Options:

- A- Add studio execution log entries
- B- Insert Try and Catch components to an automation
- C- Use the Automation Playback
- D- Dissert a log file for propagating data

Answer:

A, C

Question 12

Question Type: MultipleChoice

You are debugging a project with several automations. You are particular about one specific value in a procedure automation and want to monitor the value while debugging.

Which debugging window do you use during the debugging process?

Options:

A- Locals

B- Automation Watches

C- Breakpoints

D- Threads

Answer:

D

To Get Premium Files for PEGAPCRSA80V1_2019 Visit

https://www.p2pexams.com/products/pegapcrsa80v1_2019

For More Free Questions Visit

<https://www.p2pexams.com/pegasystems/pdf/pegapcrsa80v1-2019>

